Push 2019 | Performance Works

Name and address of audited space: Performance Works — **Date Audited: January 2015**
1218 Cartwright Street, Vancouver, BC V6H 3R8 — **http://www.performanceworks.ca/**
604-687-3020

OVERALL ACCESSIBILITY RATINGS

ACCESS CATEGORY:	FULL	SOME	NOT	N/A	COMMENTS
Blind and Low Vision					no blocking in vision
Deaf, Hard of Hearing, or Other Audio Barriers					no assistive devices
EMS (Electro Magnetic Sensitivity)					
Multiple Chemical Sensitivity Scent Reduction/ Scent Free					no scent policy.
Wheelchair / Scooter User /Mobility Limited					first row can be replaced.
Bathroom Access					
Other Access Categories					

for more info: http://radicalaccessiblecommunities.wordpress.com/radical-access-mapping-project-vancouver/

GENERAL RENTAL / SPACE INFO	FULL	SOME	NOT	N/A	COMMENTS
Primary function of the space	Blackbox theatre				
Hours of operation:	Upon booking				
Size of space, in square footage	N/A				
Maximum capacity for events/house	400 if no seating				
Rental fees (give full week range)	http://www.performanceworks.ca/pw/rentalrates.htm				
What does rental include?					
Specific requirements for rental					

SIGNAGE & WAYFINDING	FULL	SOME	NOT	N/A	COMMENTS
Signage is in a clearly visible location?					at front entrance
Highly visible w/large, thick lettering. <22pt font?					
Non-glare finish so it's easier to read?					
Letters & background high contrast for easier reading?					
Braile?					
Tactile?					
At a good height (5' above floor to centre-line of sign)?					
Can a person approach within 36" of sign without standing within door					
Directional signage large & consistent (colour, height, placement)?					Only at front entrance. Space is straight forward.
Well-lit at night?					

LIGHTING	FULL	SOME	NOT	N/A	COMMENTS
Is lighting even throughout the venue?					
Are there well-lit areas for people who use sign language to lip read					
Are any hazards well-lit?					
What kind of lighting: fluorescent, incandescent, halogen etc? Describe					mix of all
Can fluorescent lighting be turned off and other lighting used instead?					
Strobe lights restricted, banned or simply not available in the space?					restricted
Are warning signs used if strobe light / smoke / explosive sounds are used (as any one of these can pose danger to some?					

VEHICLE & MOBILITY SCOOTER PARKING	FULL	SOME	NOT	N/A	COMMENTS
Accessible or other parking within 200 feet of the building?					public parking on the island
Well-signposted (upright & ground signage)?					
Signage regarding the misuse of the spaces?					no parking in front of the entrance
Are the spaces on level ground?					sloped
Is there a slip resistant surface?					moss grown on tiles.
Extra space designated to allow access to & from car (12' wide; 20'					
Allow easy & barrier-free access to closest entrance?					
Can the user avoid passing through traffic & behind parked cars?					
Are there areas/ spaces inside to park mobility scooters? Where?					can be driven into theatre.

EXTERIOR ACCESS	FULL	SOME	NOT	N/A	COMMENTS
Outdoor paths in good condition (no roots, cracks, holes) to prevent					moss grown on tiles.
Marked w/paint to indicate wheelchair accessible paths?					not designated but wheelchair accessible.
Outline path edges with high contrast paint?					
Grate slots go against traffic flow so wheelchair wheels don't get stuck?					
Grate slots no more than ½" wide?					
Sidewalks, ramps & paths 36" wide?				N/A	open space
Drop-off near accessible entrance?					
Walkways well-lit at night?					
Slip-resistant surfaces?					moss grown on tiles.

GETTING THERE: PUBLIC TRANSPORTATION ETC.	FULL	SOME	NOT	N/A	COMMENTS
Transit near accessible entrance? How near?					Bus #50 stops 200m away.
Are there curb cuts leading from transit to the venue to ensure those using wheelchairs & others unable to climp a step can access the space?					
Transit accessible?					
Bus? Train? Other?	bus or boat				
Route #s and other information	Bus #50 2 Ave NS Anderson				
Bike lockups? Where?					lots on island

DOORS: main and internal, excluding washroom	FULL	SOME	NOT	N/A	COMMENTS
Is there a wheelchair accessible entrance?					
Is there signage to the accessible entrance?					open space
Entrance well lit at night?					
Path to the accessible entrance clear of obstacles, roots, big cracks, etc?					
Door is at least 33 3/4" wide? (BC Building Code Standard, 2013)					44"
Does door open inwards or outwards?	inwards				
Door swing clearance (from door edge to ramp edge) at least 32" to allow enough space when using a wheelchair or other mobility device or					
Openable by a single effort (no more than 8.5 lbs pressure for push or					
Are doors automatic?					
Do automatic doors work?				N/A	
Can users open doors themselves? Wait for assistance? Describe.					Locked when there is no booking. Runner at the door.
Thresholds flush with floor, or nearly so (+½")?					
Doormats stationary, flat or recessed (± ¼" high)?					
Wing handles, not knobs (there are many people who cannot grasp a					
3 second closing delay to allow entry without being hit by the door?					
Peephole or windows in doors reachable (> 5 high)?				N/A	
Locks no higher than 5'?					
Is there a doorbell at 48" high or less?					
If so, is there a visible and/or tactile indicator? Describe.					small white door bell.

ELEVATORS/LIFTS	FULL	SOME	NOT	N/A	COMMENTS
Do you have a lift?					
Do you have an elevator?					
Elevator size at least 5' X 5'?				N/A	
Lift dimensions at least 32"W x 48"L?				N/A	
Threshold no greater than ½"? Many wheelchairs can't get over a lip				N/A	
Doors or compartment opens at least 33 3/4" wide?				N/A	
Elevator call buttons at a reasonable height (35" - 54" above floor)?				N/A	
Clear of obstructions in front of call buttons?				N/A	
Call buttons tactile?				N/A	
Call buttons braided?				N/A	
Braille to left of call buttons?				N/A	
Tactile floor identification numbers at each door (height of 54")?				N/A	
Braille floor identification numbers at each door (height of 54")?				N/A	
Audible signals when elevator call is answered?				N/A	
Audible signals for direction?				N/A	
Handrails on three sides of elevator?				N/A	
Handrails mounted 36" above floor?				N/A	
Does it require a key?				N/A	
Closing delay (3 seconds or more)?				N/A	
Electronic re-opening activators on elevator door?				N/A	
Can lift be operated without assistance? Is someone available to assist?				N/A	
Are all staff trained to operate the lift &/or are there clear instructions				N/A	

ESCALATORS	FULL	SOME	NOT	N/A	COMMENTS
Does your venue offer an escalator?					
How wide between rails?				N/A	
Is there an escalator for both directions?				N/A	

STAIRS & STEPS (Public)	FULL	SOME	NOT	N/A	COMMENTS
Is the publicly available space stair-free?					
If there are any stairs, how many are there, and where are they? Exact				N/A	
Is there a ramp nearby? Where is it in relation to the stairs?				N/A	
Do the stairs have a non-slip surface?				N/A	
Tactile warning strips on stair edges so folks know where a step begins				N/A	
Good lighting?				N/A	
Contrast lines on steps (top/bottom yellow, rest white) to indicate				N/A	
Closed risers? (They are safer because they limit chances of tripping)				N/A	
Maximum step height 7" & uniform?				N/A	
Tread size is at least 11"?				N/A	
Suspended stairs have sufficient warning devices (planters or railings)? For example, so folks don't hit their head on the underside.				N/A	
Continuous handrails? Height?				N/A	
Width between handrails. Can you group both securely going up/down				N/A	
Rails extend 12" past top riser & bottom tread to assist past the last/first				N/A	
Handrails 1 ¼" to 1 ½" in diameter & easy to grasp?				N/A	
Handrails in contrasting colour for better visibility?				N/A	

RAMPS: EXTERNAL	FULL	SOME	NOT	N/A	COMMENTS
Are there ramps to enter the space? Where?					one curb cuts
Easy to find / well posted / etc?				N/A	
Marked by access sign?				N/A	
Gradient no more than 1:12? (less than 1 foot of rise for every 12 feet of				N/A	
Textured, non-slip surface?				N/A	
Detectable warning surface so people can prepare for an incline/decline?				N/A	
Continuous & sturdy handrails?				N/A	
Handrails 36" above ramp? width apart?				N/A	
Handrails extend 12" beyond top & bottom of ramp?				N/A	
Rest areas at less than 30' intervals to provide time not on an incline?				N/A	
Well-lit?				N/A	
At least 32" from door edge to ramp edge to ensure enough space to				N/A	

RAMPS: INTERNAL	FULL	SOME	NOT	N/A	COMMENTS
Are there ramps inside the venue? Where?					no designated ramp. Just inclined ground for accessibility
Easy to find / well posted?				N/A	
Marked by access sign?				N/A	
Gradient no more than 1:12? (less than 1 foot of rise for every 12 feet of					some parts are not
Textured, non-slip surface?					moss grown on tiles.
Detectable warning surface so people can prepare for an incline/decline?				N/A	
Continuous & sturdy handrails?				N/A	
Handrails 36" above ramp? width apart?				N/A	
Handrails extend 12" beyond top & bottom of ramp?				N/A	
Rest areas at less than 30' intervals to provide time not on an incline?				N/A	
Well-lit?					
At least 32" from door edge to ramp edge to ensure enough space to					

HALLWAYS & FLOORS	FULL	SOME	NOT	N/A	COMMENTS
Are hallways 59"w?					
Fire doors have magnetic hold-opens?					
Fire doors clear of obstacles?					
Door edges painted contrasted colour as warning if door is slightly open?					
Carpet tightly woven, non-static, level loop with direct glue-down?					
All floors non-glare?					
All floors non-slip?					
Does it seem like the floor would be easy to move around on?					
Are the halls and common areas free from obstructions? Please detail.					

ACCESSIBLE ROUTE THROUGH VENUE	FULL	SOME	NOT	N/A	COMMENTS
Is there an at least 59" wide accessible corridor through the venue from the accessible entrance to the bathrooms (to ensure safe passage for those with mobility access barriers to and from washrooms, fire escapes					
Is it marked and/or monitored? How? (tape? rope? attendant? etc)					staff will be assisting.

ASSISTIVE LISTENING DEVICES / SERVICES / ARRANGEMENTS	FULL	SOME	NOT	N/A	COMMENTS
Can the speaker be easily heard from any place in room?					
Acoustics check: Can. is it free of echos or dead spots?					
For acoustics: is there carpeting, padded tiles, upholstered seats?					folding chairs
Can loud fans and other equipment be turned off when not using?					
Can there be unobstructed views for interpretation and lip-reading?					
Can front row seating available to Deaf, HoH, low vision at no extra					
Is that front row seating wheelchair accessible?					
If a mic or lecturn is used, can the speaker's mouth be visible for lip					
Infra-Red system?					
FM system?					

i.e. a personal receiver worn by the person with the hearing loss & a transmitter worn by the speaker. The amplification provided by the person with the hearing loss allows them to participate in a large audience setting as the speech is transmitted directly to the personal receiver blocking out other environmental sounds)

Are there signs to indicate availability of the system and where it's				N/A	can be arranged through staff
Minimal internal noise from heating / cooling systems?				N/A	
Limited number of angles/ walls/ pillars to reduce sound bouncing?				N/A	
If this is an event, is sign language interpretation provided?				N/A	can be arranged through staff
If interpretation isn't covered by the venue/event, can someone bring their interpreter to the event / into the venue free of charge?					contact PuSh access@pushfestival.ca, 604.605.8284 ext 204
If interpretation can be arranged, is it culturally and otherwise appropriate for the event/venue? Explain.					
Closed Captioning capabilities? Give details.					
How is this arranged? Is there a fee?				N/A	
Are Communication Access Real-Time Translation (CART) services					
If so, how is this arranged? Is there a fee?				N/A	
Any other services offered for those with barriers to accessing audio?					

PUBLIC TELEPHONE	FULL	SOME	NOT	N/A	COMMENTS
Is there a public telephone available?					ask staff for assistance.
Clear path width of 30" to allow wheelchair access?				N/A	

Push 2019 | Performance Works

Located in a low ambient noise level area? Where?				N/A	
Handset / cnts receiver / dialer within 48" of the floor?				N/A	
Cord minimum 29" long?				N/A	
Phone directories kept at accessible level?				N/A	
TTY?				N/A	
Shelf provided for TTY?				N/A	
If TTY is provided, do staff know how to operate it?				N/A	
Do the phones have volume controls?				N/A	
WATER FOUNTAIN	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Is there a water fountain available?					water on counter
Provided at varying heights to accommodate more needs?				N/A	
Recessed so as not to cause obstructions?				N/A	
Are there any barriers getting in the way of accessing it?				N/A	
EMERGENCY SYSTEM	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Emergency evacuation plan posted?					
Does it fit requirements for accessible signage?				N/A	
Audible alarm signals?					
Visible alarm signals? flashes <5 flashes/second?					
Refuge area available, or accessible exit doors?					outdoor open space on island
Fire alarms within reach (5' from floor)?					
Emergency doors clearly marked?					
Fire extinguishers? How far from ground?					4'
Sprinkler system?					
Smoke detectors?					
Is there a first aid kit anywhere? Where? Is it accessible?					Fish, boxoffice, stage manager.
SEATING	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Is rest seating available in the venue?					bench in hallway
Armrests? Some do not fit larger people's bodies, and for some people they're necessary for getting into/out of seats. Describe.					folding chairs
Is there a variety of seating options? Describe.					
Seating options other than folding chairs? Folding chairs can be precarious for larger folks & many folks with disabilities as they tend to					
Dimensions of seating options (floor to top of seat cushion x width between armrests or edges of seat x depth from front of seat cushion to					16"x16"
Is seating sturdy/solid/secure?					but not for fat folks
At least 16" from ground to top side of seat cushion?					
Can people use wheelchairs in all areas?					
Do wheelchair seating spaces allow people to sit with companions?					
Does seating allow a guide dog to sit under a chair?					
Is front row & barrier-free seating available for blind/low vision, Deaf/hoh or other people who require closer seating?					
Is there priority seating for disabled and/or fat folks and/or elders?					
If so, how is it marked/ maintained/ made known?					can contact PoSh, or arrange with Front of House Manager on the day of.
FOOD, BEVERAGE, SERVICE COUNTERS, BANK MACHINES	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Can people have food etc delivered to their table?					
Can people bring their own food & beverages into the venue, if required?					
If food is served, what is the price range?				N/A	
Are there a variety of options? Vegan, halal, vegetarian, kosher, gluten				N/A	
Are common allergens noted?				N/A	
Are ingredient lists available?				N/A	
Is staff available to clear off the tables?				N/A	
Is free water available?					at the counter
Service counters (ticket booths, bars, cutlery/condiment stands etc) easily accessed by someone using a wheelchair? i.e. barrier free?				N/A	
Automated bank machine buttons < 48"high?				N/A	no ATM in venue.
Enough clearance to access ATM? Things blocking the way?				N/A	
Is there a cashback available?					
What is the cost?				N/A	
Is the cost check wheelchair accessible?				N/A	
ENVIRONMENTAL: ANIMALS, ALLERGENS, MCS, SCENTS, MOLD, SMOKING, ETC.					
-- Scent Free or Reduced Policy?	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Do you have a policy in place?					
What does it cover? Reduced or free? All events or only some? Etc.				N/A	
In what formats do you provide info on the policy?				N/A	
How / is the policy enforced?				N/A	
Is the space free from air "fresheners"?				N/A	
If there are "fresheners", can they be moved/ blocked/ removed?				N/A	
Is the space free from any other scents? (e.g. incense, sage, paints, etc)				N/A	
If not, can use of these scented products be stopped/ alternated use/				N/A	
Are there air purifiers/filters available for use in the space?				N/A	
-- Animals	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Are animals regularly in the space?					
If so, what kind?				N/A	
Are steps taken to reduce hair, dander, bird dust, etc?				N/A	
Are there any areas or times where/when no animals are allowed?				N/A	
-- Guide Dogs	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
-- water available for guide dogs?					no designated spot
Is there an area where a guide dog can be toileted?					outdoor
Is there a quiet area where a guide dog can rest?					outdoor
-- Smoking Areas	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Accessible for people using wheelchairs and with other access needs?				N/A	
At least 6 meters from doorv/ intake?					
Is it clearly blocked off? How?				N/A	
-- Dust and Mold	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Is or has mold been a problem in the space?					
If so, describe any efforts to deal with it, and outcomes.				N/A	
Is the venue dusty?				N/A	
Is regular dusting / vacuuming / filtering / etc done to reduce dust?					
ALCOHOL AND OTHER SUBSTANCES	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Are alcohol or other substances served or consumed in the space?					
Are alcohol or other substances a central aspect of the space?				N/A	
Are there designated sober spaces within the larger venue?				N/A	
If so, are those spaces wheelchair or otherwise accessible?				N/A	
Are non-alcoholic beverages available?				N/A	
SHADE & SHELTER	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Accessible to people using wheelchairs and with other access needs?					
WHEELCHAIR/ MOBILITY/ ETC EQUIPMENT HIRE	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Can people hire or borrow a wheelchair or other equipment at the					
If so, how is this arranged?				N/A	
How many do you provide?				N/A	
STAFF/ORGANIZATIONAL AWARENESS	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Have staff undertaken any disability awareness trainings?					
Staff have experience assisting people w/disabilities and/or specific					
If so, are staff available to provide assistance to patrons?					
Do any staff members have sign language skills?					some do. Request in advance.
Is there a staff member with responsibility for access or for patrons with a disability? Who? Provide contact info.					Front of House Manager
Are people encouraged & enabled to discuss issues around accessibility & ableism in the space? How?				N/A	
Are conversations currently underway re: increasing access &				N/A	
CHILDCARE	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Is childcare available onsite?					
Is it wheelchair and otherwise accessible? Where is it located?				N/A	
How much does it cost?				N/A	
How is it arranged?				N/A	
Who is the contact person? And who is directly providing care?				N/A	
FINANCIAL ACCESS	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
What is the cost to enter venue?					tickets.
Do you offer sliding scale or a "no one turned away" policy?				N/A	
Are people able to be in the space without purchasing something?				N/A	
If there is a "minimum order", what is it? Describe.				N/A	
What is the cost to rent the space? Please give the range across the week.				N/A	
What is included in that rental price? What is extra?				N/A	
FINDING INFO ABOUT THE SPACE / EVENT	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Is information about the venue & event available in a range of formats (e.g. Printed material, large print, audio, website)? Which formats are used?					website http://performanceworks.ca/my-home.htm
Is information about goods and services (programs and menus) available in a range of formats? Which formats?				N/A	
Is printed information easy to read?				N/A	
Is information available in multiple languages? Which?				N/A	
How are multiple formats/ languages accessed?				N/A	
Is accessibility information posted online & in promotional material?					
ENTRY TO VENUE (ID REQUIREMENTS, SECURITY, ETC.)	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Is identification of any kind required to enter the space? Describe.				N/A	
Does staff hold onto ID or simply check it?				N/A	
Do you have specific gender requirements to enter? Describe.					
How do you handle discrepancies in ID (e.g. the name someone goes by is not their legal name)?				N/A	
Must people be legal citizens to enter?					
Re undocumented folks, how do you handle ID requirements?					
Are there security cameras anywhere inside or at entry to venue?					
Are there security personnel at or outside the venue?					
EMS (electro magnetic sensitivity) ACCESS	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Are there alternatives to fluorescent lighting? Fluorescent is often a major cause for headache, dizziness and other symptoms.					
Has wifi been banned or restricted in the space?					no public wifi access
Is there an option for using an ethernet cable access, not full-scale WiFi?					
Are cellphones restricted or banned in the space?					in public area is fine
Can people be asked at events to turn off / airplane mode their					
Is there an identifiable, confined WiFi or cellphone zone for checking non emergency messages, making calls, using WiFi laptops, etc.?					anywhere
To make your event/venue more EMS accessible: https://docs.google.com/file/d/0B81nfbuugDGRkLXQ4Z2FQcnhvW0A/edit?usp=sharing					
PUBLIC WASHROOMS:					
If there are no w/c accessible washrooms in the space, are there any nearby? If so, how far? And fill in as much as possible about those washrooms in the sections below. Otherwise, delete this line.					
Women's washroom	**FULL**	**SOME**	**NOT**	**N/A**	**COMMENTS**
Is it a stand-alone room, or a stall within a larger shared bathroom?	stalls. Accessible washroom within women's.				
Room number if applicable:				N/A	
Is the bathroom publicly available without a key/code?					
Signage to accessible washrooms?					
Is it marked as all-gender? Specify:					
Is it in a safe location (e. not in an isolated spot)? Where?					
Entrance at least 33 3/4" wide? (BC Building Code, 2013)					31"
Is the door automatic?					
Do automatic doors work?				N/A	
Light switch <5' from ground? Location?					left side by door
Is there unobstructed internal wheelchair clearance (5' x 5') in the stall					
Does the bathroom have a changing table? specify location and height:					32"h
Are there sharps container /s?					
Are scent-free soaps available?					
Is the washroom free from air "fresheners" or other scents?					
If there are "fresheners", etc., can they be moved/ removed/ blocked?					
Is there an audible alarm system?					
Is there a fan? Loud? Quiet? User activated? Etc. Please describe.					auto air circulation.
Is there a wall-mounted wash-basin, or space provided under sink with wheelchair clearance of 30" wide X 10" deep to pipes or 20" to wall X 20" high?					Wall-mounted
Pipes wrapped to prevent burns?					
Lowered mirror (40") maximum from floor, or tilted down)?					
Lever or auto type faucets, not spring-loaded?	lever				
How far are faucet handles from the front of sink?	16"				
How far are soaps from the front?	19"				
Towel dispensers a maximum of 48" from floor? location?					both side of basin
Is there a tampon/pad dispenser?					
Tampon/pad dispensers no more than 48" from floor? Location?					
Does the door lock from the inside?					
Do locks work smoothly?					
Free of obstructions other than toilet? Describe if necessary.					
Does the door swing outwards (clearance of 32")?					
Is the door self-closing?					
Does it have an inside door handle on the hinge-side?					
If the door is directly in front of the toilet, the toilet cannot overlap the required maneuvering clearance (5' x 5') for the stall door. Describe				N/A	
If sink is in the stall, it should be opposite the stall door, next to the toilet, the stall compartment must measure 60" d x 60" w. Describe setup.				N/A	
Grab bars on 2 sides? Which?					only on left side of toilet in accessible stall
Grab-bars max 1" from wall?					
Slanted grab bars minimum 33"h to a maximum of 36"h at top?					
Grab bars minimum 42" long?					

Push 2019 | Performance Works

Transfer to toilet from which side/s?					from left of toilet.
Toilet paper holder 7"- 9" in front of toilet (@centerline of the dispenser					
Toilet paper outlet between 20" - 48" from floor so it's easier to reach?					
What kind of flush mechanism? Lever? Auto? Centre button? Etc.	lever				
Is the flush mechanism located closest to where the user is? I.e. not on					on toilet
Is the toilet seat 17"b.- 19"b?					"regular ones are 15"b
Is the centreline of the toilet 12" - 18" from the side wall/ partition?					17"
Space between wall and edge of toilet	4.5"				
Coat hook & inside shelf inside cubicle 40"h min - 48"h max?					
Is there an alarm button for people to use in an emergency? Where is it?					
Men's Washroom	**PASS**	**DEM**	**DIS**	**N/A**	**COMMENTS**
Is it a stand-alone room, or a stall within a larger shared bathroom?	Women's washr ooms also has one accessible stall.				
Room number if applicable:				N/A	
Is the bathroom publicly available without a key/code?					
Signage to accessible washrooms?					but has the biggest stall door
Is it marked as all-gender? Specific:				N/A	
Is it in a safe location (ie, not in an isolated spot)? Where?					
Entrance at least 33 1/4" wide? (BC Building Code, 2013)					
Is the door automatic?					
Do automatic doors work?				N/A	
Light switch <5' from ground? Location?					Left of door
Is there unobstructed internal wheelchair clearance (5' x 5') in the stall					29" from front of toilet to stall
Does the bathroom have a changing table? specify location and height:					
Are there sharps container/s?					
Are scent-free soaps available?					
Is the washroom free from air "fresheners" or other scents?					
If there are "fresheners" etc., can they be moved/ removed/ blocked?					
Is there an audible alarm system?					
Is there a fan? Loud? Quiet? User activated? Etc. Please describe.					auto
Is there a wall-mounted wash-basin, or space provided under sink with					Wall-mounted. 31"b. 15"deep to
Pipes wrapped to prevent burns?					
Lowered mirror (40"b maximum from floor, or tilted down)?					
Lever or auto type faucets, not spring-loaded?	auto				
How far are faucet handles from the front of sink?	15"				
How far are soaps from the front?	11.5"				
Towel dispensers a maximum of 48" from floor? location?					55" b but can be pulled down
Is there a tampon/pad dispenser?					
Tampon/pad dispensers no more than 48" from floor? Location?					
Does the door lock from the inside?					
Do locks work securely?					
Free of obstructions other than toilet? Describe if necessary.					
Does the door swing outwards (clearance of 32")?					Inwards for regular stalls.
If it is a stall, is the stall door at least 32" wide?					23.5"
Is the door self-closing?					
Does it have an inside door handle on the hinge-side?					There is a 3' high handle in
If the door is directly in front of the toilet, the toilet cannot overlap the				N/A	
If sink is in the stall, it should be opposite the stall door, next to the toilet.				N/A	
Grab bars on 2 sides? Which?					Behind and left of toilet
Grab-bars max 1" from wall?					
Slanted grab bars minimum 33"b to a maximum of 36"b at top?					
Grab bars minimum 42" long?					
Transfer to toilet from which side/s?					from right side of toilet
Toilet paper holder 7"- 9" in front of toilet (@centerline of the dispenser					
Toilet paper outlet between 20" - 48" from floor so it's easier to reach?					
What kind of flush mechanism? Lever? Auto? Centre button? Etc.	auto				
Is the flush mechanism located closest to where the user is? I.e. not on					
Is the toilet seat 17"b.- 19"b?					19"
Is the centreline of the toilet 12" - 18" from the side wall/ partition?					
Space between wall and edge of toilet	11"				
Coat hook & inside shelf inside cubicle 40"h min - 48"h max?					46"
Is there an alarm button for people to use in an emergency? Where is it?					
Men's Washroom (Accessible washroom stall within the Men's. Information is the same as Women's)					
Is there a urinal in the room?					4 in total.
How high is the urinal?					One at 20"b, three at 25"b.
Wall hung or stall type urinal?					wall hung
Is it on ground level?					
Are there dividers between urinals?					
Flush mechanism auto or lever at lower than 48" high?					auto
Support bars?					
Are there other stalls? How many?					2 regular+1 w/c in male's, 5 regular+1 w/c in female's
Clearance under partition (divider between stalls) at least 9"b?					
Door width in other stall/s					26"
Does door swing out in other stall/s?					Inwards for regular stalls. Outwards for wheelchair
Is the centreline of toilet 17" - 19" from the side wall / partition?					
Other stalls measure a minimum of 60"deep x 55-57"w?					
Toilet seat in other stalls 11"b - 17"b?					19" for wheelchair stall
Are there showers?					
seat height				N/A	
to support bar				N/A	
to faucet				N/A	
to showerhead				N/A	
hook				N/A	

This template is regularly updated. If there's anything you'd like to see included, please contact RAMP. If you'd like to use this audit template in whole or in part to create or add to your own, please do so, and ensure you credit this work. If you use a specific RAMP-completed audit in any way, please ensure RAMP contact information is attached so we can field specific questions/ concerns/ additions.
rampvancouver@gmail.com
For more info: http://radicalaccessiblecommunities.wordpress.com/radical-access-mapping-project-vancouver/